

	<p>Company Name</p> <p>የኢትዮጵያ ሲቪል አቪዬሽን ባለሥልጣን ETHIOPIAN CIVIL AVIATION AUTHORITY</p>	<p>Document No.</p> <p>ECAA/ANR/AC/002</p>	
<p>Document Title:</p> <p>Runway Safety Programme and Runway Safety Teams</p>		<p>Issue No.</p> <p>1</p>	<p>Page No</p> <p>Page 1 of 1</p>

PLEASE MAKE SURE THAT THIS IS THE CORRECT ISSUE BEFORE USE

	Company Name የኢትዮጵያ ሲቪል አቪዬሽን ባለሥልጣን ETHIOPIAN CIVIL AVIATION AUTHORITY	Document No. ECAA/ANR/AC/002	
Document Title: Runway Safety Programme and Runway Safety Teams		Issue No. 1	Page No. Page 2 of 6

APPROVAL PAGE

This Runway Safety Programme and Runway Safety Teams Advisory Circular has been prepared by Air Navigation Regulation Directorate to assist the effort of the Ethiopian Civil Aviation Authority to maintain the provision of effective Air Navigation Services with in Ethiopia airspace.

It is important to note that the Runway Safety Programme and Runway Safety Teams Advisory Circular improve the safety of Air Navigation Services in Ethiopia.

The Director General of Ethiopian Civil Aviation Authority has here by approved the Runway Safety Programme and Runway Safety Teams Advisory Circular on June, 2016 to be used as guidance to Air Navigation Services.

Approved by
 Date June, 2016
Mosenyteh Hunegnaw (Col.)
Director General





Company Name

የኢትዮጵያ ሲቪል አቪዬሽን ባለሥልጣን
ETHIOPIAN CIVIL AVIATION AUTHORITY

Document No.

ECAA/ANR/AC/002

Document Title:

Runway Safety Programme and Runway Safety Teams

Issue No.

1

Page No

Page 3 of 6

Record of Amendments

No	Date	Description
1	June 2016	New QMS Numbering

	Company Name የኢትዮጵያ ሲቪል አቪዬሽን ባለሥልጣን ETHIOPIAN CIVIL AVIATION AUTHORITY	Document No. ECAA/ANR/AC/002	
	Document Title: Runway Safety Programme and Runway Safety Teams	Issue No. 1	Page No. Page 4 of 6

RUNWAY SAFETY PROGRAMME AND RUNWAY SAFETY TEAMS

1.0 PURPOSE

1.1 This Advisory Circular (AC) provides guidance to the Air Traffic Services Provider (ATSP) on the establishment of a runway safety programme and runway safety teams. The establishment of a safety programme and a safety team(s) shall ensure the safety of the runway(s) against foreign objects, debris and animals straying onto the runway and other logistical deficiencies. Among the factors that shall be considered while developing a runway safety programme are the safe operation of aircraft, air traffic management, vehicle movement on the maneuvering area and aerodrome management.

2.0 REFERENCES

2.1. ICAO Doc 4444 (PANS-ATM)

3.0 GUIDANCE MATERIAL

3.1. A runway safety programme shall start with the establishment of local runway safety teams at individual aerodromes. The primary role of a local runway safety team, which may be coordinated by a runway Safety Manager responsible for Safety Management system, is to develop an action plan for runway safety, advise the appropriate management on potential runway incursion issues and to recommend strategies for hazard removal and mitigation of the residual risk. The development of this action plan may be based on local occurrences or a combination of these occurrences and information collected from elsewhere.

	Company Name የኢትዮጵያ ሲቪል አቪዬሽን ባለሥልጣን ETHIOPIAN CIVIL AVIATION AUTHORITY	Document No. ECAA/ANR/AC/002	
	Document Title: Runway Safety Programme and Runway Safety Teams	Issue No. 1	Page No. Page 5 of 6

3.2. The runway safety team shall be composed of representatives from Aerodrome Safety and Standard Directorate, Air Traffic Services providers, Airlines or Aircraft operators and any other groups with direct involvement in runway operations.

3.3. This team shall meet on a regular basis. The frequency of meetings shall be determined by individual teams.

3.4. At some aerodromes, other groups may exist that could carry out the functions of a runway safety team.

3.5. After determining the number, type and severity of runway incursions, the runway safety team shall establish goals that will improve safety of runway operations. Examples of possible goals are:

- a) Improving runway safety data collection, analysis and dissemination;
- b) Ensuring that signage and markings are compliant with the Manual of Aerodrome Standards and are visible for pilots and drivers;
- c) Developing initiatives for improving the standard of communications;
- d) Identifying potential new technologies that may reduce the possibility of runway incursion;
- e) Ensuring that procedures are compliant with the Manual of Aerodrome Standards; and
- f) Initiating local awareness by developing and distributing runway safety education and training materials to controllers, pilots and personnel driving on the aerodromes.

3.6. Common recurring scenarios that lead to runway incursion include:

	Company Name የኢትዮጵያ ሲቪል አቪዬሽን ባለሥልጣን ETHIOPIAN CIVIL AVIATION AUTHORITY	Document No. ECAA/ANR/AC/002	
	Document Title: Runway Safety Programme and Runway Safety Teams	Issue No. 1	Page No. Page 6 of 6

- a) An aircraft or vehicle crossing in front of a landing aircraft;
- b) An aircraft or vehicle crossing in front of an aircraft taking off;
- c) An aircraft or vehicle crossing the runway holding position marking;
- d) An aircraft or vehicle unsure of its position and inadvertently entering an active runway;
- e) A breakdown of communication leading to a failure to follow an air traffic control instruction; and
- f) An aircraft passing behind an aircraft or vehicle that has not vacated the runway

3.7. Much can be learned by analyzing previous incidents and accidents in order to arrive at mitigating solutions. The use of a Runway Incursion Severity Classification (RISC) Model will enable a consistent assessment to be made of the severity of runway incursion events.

3.8. As runway safety program and its implementation is a critical safety concern in aviation, the Air Traffic Services provider (ATSP) is required to develop the manual, establish a data collection system so as to put in place the programme of action

3.9. The ATSP should take the initiative to form a runway safety committee for follow-up of activities related to runway safety

3.10. Key activities relating to implementation and continuous monitoring of runway safety program should be completed by October 30, 2012.